

CIDE-KICK® II M

NONIONIC SPRAY ADJUVANT

ACTIVATOR / PENETRANT • BIODEGRADABLE • WATER MISCIBLE • LOW VISCOSITY

Principal Functioning Agents: Limonene; alcohols, C10-16, ethoxylated; ethoxylated soybean oil



WARNING:

Causes Serious Eye Irritation. May Cause an Allergic Skin Reaction.

FIRST AID:

If Swallowed: Rinse mouth. Call a doctor if you feel unwell.

If on Skin: Wash area with plenty of soap and water. Remove contaminated clothing. Launder clothing before reuse. If irritation or rash occurs get medical advice.

If in Eyes: Rinse cautiously with water for several minutes. Remove contacts if present. Continue rinsing. If irritation occurs get medical advice.

If Inhaled: Remove individual to fresh air. If affected, get medical attention.

FLASH POINT: 155°F
Combustible.

KEEP OUT OF THE REACH OF CHILDREN.

Do Not Take Internally.

CIDE-KICK II M is a wetting agent, activator and penetrant all in one.

CIDE-KICK II M helps break down the waxy cuticle on the leaf surface and helps penetrate the bud and bark area (of the woody brush), allowing a more effective uptake of the herbicide.

CIDE-KICK II M is a byproduct of the forest industry, a low viscosity oil.

CIDE-KICK II M is compatible with most terrestrial and aquatic herbicides, insecticides and other pesticides.

CONDITIONS OF SALE

We warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label.

THERE ARE NO OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

STORAGE AND DISPOSAL:

Do not store near heat or open flame. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container recycling Council (ACRC) operates the national recycling program. To contact state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill. This statement was developed by WSDA, since burning plastic containers is illegal in Washington (as well as other states).

DIRECTIONS FOR USE

Type of Herbicide Application	HIGH VOLUME GROUND APPLICATION		LOW VOLUME GROUND & AERIAL APPLICATION per acre
	per 100 gal.	per acre	
Aquatic - surface	1 pint-2 quarts	1 pint-2 quarts	1 pint-2 quarts
Aquatic - submerged	1-2 gallons	1-2 gallons	1-2 gallons
Agriculture/Citrus/Turf	1-2 pints	1-2 pints	1-2 pints
Forest Site Preparation	1-2 quarts	1-2 quarts	1-2 quarts
Utility Rights-of-Way and Roadside: Foliar	1 pint-2 quarts	1 pint-2 quarts	1 pint-2 quarts

OTHER APPLICATIONS: See Herbicide Label for rates.

Low Volume Basal & Dormant Brush: Increases Bark Penetration.

Forest Conifer Release: Cide-Kick II may reduce selectivity of herbicide with over-the-top application.

Cide-Kick II can be used with insecticides, fungicides, growth regulators and biostimulants at various rates as determined by label and field experience.

Comments: Percent concentration of Cide-Kick II varies with total volume used per acre and type of application.

NET CONTENTS:

WA-99940-12001

BREWER International

P.O. BOX 690037 VERO BEACH, FL 32969-0037
(772) 582-0555 • 1-800-228-1833
© 2014 BREWER INTERNATIONAL, INC.
www.brewerint.com