

SILKICK™

Polydimethylsiloxane and Limonene



WARNING:

Causes Serious Eye Irritation. May Cause an Allergic Skin Reaction.

FIRST AID:

If Swallowed: Rinse mouth. Call a doctor if you feel unwell.

If on Skin: Wash area with plenty of soap and water. Remove contaminated clothing. Launder clothing before reuse. If irritation or rash occurs get medical advice.

If in Eyes: Rinse cautiously with water for several minutes. Remove contacts if present. Continue rinsing. If irritation occurs get medical advice.

If Inhaled: Remove individual to fresh air. If affected, get medical attention.

FLASH POINT: 155°F
Combustible.

Active Ingredients:

Blend of Polydimethylsiloxane, limonene, related isomers, and nonionic surfactant.....100%
Constituent ineffective as a spray adjuvant.....0%
Total.....100%

Directions For Use:

Aquatic-Surface: 1-2 qt. per 100 gal. water

Industrial: 1-2 qt. per 100 gal. water

Forestry Site Prep: 1-2 qt. per 100 gal. water

Agriculture: 0.5 qt.-1 qt. per 100 gal. Water

Turf: 0.5 qt.-1 qt. per 100 gal. Water

KEEP OUT OF THE REACH OF CHILDREN.

Do Not Take Internally.

NET CONTENTS:



BREWER International

P.O. BOX 690037 VERO BEACH, FL 32969-0037

(772) 562-0555 • 1-800-228-1833

© 2014 BREWER INTERNATIONAL, INC.

www.brewerint.com

CONDITIONS OF SALE

We warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label.

THERE ARE NO OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

Surfactants in SILKICK are exempt from the requirements of tolerance under the CFR.

STORAGE AND DISPOSAL:

Do not store near heat or open flame. Store in original container. Do not reuse empty container. Triple rinse (or equivalent) then dispose of or recondition container through the regulations set by local and state authorities.