

# BREWER DEFOAMER

## CAUTION

Do not take internally.

Avoid skin and eye contact.

**KEEP OUT OF THE REACH OF CHILDREN**

## FIRST AID

**If Swallowed:** Do not induce vomiting. Get medical attention.

**If on Skin:** Thoroughly wash area with soap and water. Remove contaminated clothing. Launder clothing before reuse.

**If in Eyes:** Flush with large amounts of water. Get medical attention.

**If Inhaled:** Remove individual to fresh air. If affected get medical attention.

## PRINCIPLE FUNCTIONING AGENTS:

Dimethyl-polysiloxane ..... 10%  
Constituents ineffective as spray adjuvants ... 90%

## DIRECTIONS:

BREWER DEFOAMER can be used to prevent foaming problems in spray tanks by adding 1 to 2 ounces per 100 gallons before the herbicide or pesticide or wetting agent.

BREWER DEFOAMER can also be used at similar rates to reduce foam already created by squirting on top.

Avoid freezing.

## NET CONTENTS:

## CONDITIONS OF SALE

We warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions.

THERE ARE NO OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

**STORAGE AND DISPOSAL:** Do not store near heat or open flame. Store in original container. Do not re-use empty container. Triple rinse (or equivalent) then dispose of or recondition container through the regulations set by local and state authorities.



**BREWER International**

P. O. BOX 690037 VERO BEACH, FL 32969-0037  
(772) 562-0555 1-800-228-1833  
© 2024 BREWER INTERNATIONAL, INC.  
[www.brewerint.com](http://www.brewerint.com)